



Machine data sheet



AVR Other potato growing technology spirit 5200

Sheet no.: 10139
Serial No.: YA9330008MR315372
Internal No.: OCC-02674
Year of construction: 2021
Location: Meensesteenweg 545
8800 Roeselare

Salesperson Name: Salesperson Name:
Phone No.: Stein Rommelaere
Mobile Phone No.: 0032 (0) 51245566
E-Mail: SteinRommelaere@avr.be
Link to machine: <https://avr.be/en/second-hand-machine/spirit-5200>



Configuration

01. Machine type	Spirit 5200	130. picking off table	only web
02. digging unit	quick change 90cm	133. automatic swann neck	no
03. digging web	40mm	140. bunker	B bunker
031. vibrator in digging web	triangular vibrator	141. fall breaker on bunker	no
04. second web	40mm	142. bunker optimizer	yes
041 vibrator in second web	none	150. camera's	2
06. haulm web	210mm	151. number of display	1
061. Haulm retainers	standard	170 dual wheels	no
09. cleaning unit	pintle belt	171. breaks	air brakes
10. first pintle belt	U50	172. wheel drive	no
101. deflecting rollers on pintle belt	single deflecting roller	180. automatic greasing	no
120. second pintle belt	V 40 mm	011. row distance	90 cm
121 deflecting roller on pintle belt	double roller		

Additional Information

Filterfield 1 3 star machine

Comment

Spirit 5200

construction year 2021
machine revised by AVR
Green select 3 star machine
1 year warranty
Quick change digging unit (75 or 90cm)
automatic side shifting of the drawbar (sensors on diablo)
digging web pitch 40mm
second web pitch 40mm



Machine data sheet



triangular vibrator in digging web
Haulm web pitch 210mm
4 row haulm retainers on haulm web
first pintle belt (vertical pintle belt) pitch 50mm U profile
second pintle belt (cross pintle belt) pitch 40 mm V profile
double deflecting roller on second pintle belt
B bunker (6 ton)
Bunker optimizer
2 camera's on machine
- 1 on pintle belt
- 1 on back of machine (reverse drive)
dual line air brakes on machine
steering wheels
hydraulic land levelling

Spirit 5200

bouwjaar 2021
machine gereviseerd door AVR
Green select 3 sterren machine
1 jaar garantie
Quick change rooibek (75 of 90cm)
automatische disselsturing (sensoren op diablo)
graafmat steek 40mm
zeefmat steek 40mm
driehoekschudder in graafmat
Loofmat steek 210mm
4 rij loofpalleten op loofmat
eerste egelband (verticale egelband) steek 50mm U-profiel
tweede egelband (dwarsegelband) steek 40 mm V profiel
dubbele afstrijkrol op dwarsegelband
B bunker (6 ton)
Bunker optimalisator (hydraulisch)
2 camera's op machine
- 1 op egelband
- 1 achterop de machine (achteruitrijden)
Luchtremmen met dubbele lijn op machine
stuurwielen
hydraulische vlakstelling machine

Spirit 5200

année de construction 2021
machine révisée par AVR
Machine Green select 3 étoiles
1 an de garantie
Cadre avant quick change (75 ou 90cm)
auto guidage du timon (capteurs sur diablo)



Machine data sheet



tapis d'arrachage: 40mm
deuxieme tapis: 40mm
vibrateur triangulaire tapis d'arrachage
maille carré 210 mm
4 rangées de fixations de fléau sur le tapis maille carré
première tapis a tétines (tapis a tétines verticale), pas de 50 mm, profil en U
deuxième tapis a tétines (tapis a tétines transversale), pas de 40 mm, profil en V
double rouleau défecteur sur la deuxième tapis a tétines
Trémie B (6 tonnes)
Optimiseur de trémie (hydraulique)
2 caméras sur la machine
- 1 sur la tapis a tétines
- 1 à l'arrière de la machine (marche arrière)
freins à air double ligne sur la machine
roues directrices
reglage niveau automatique du machine